

APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office JUNE 18, 2004

Returned to applicant for correction JULY 07, 2004

Corrected application filed SEP 07 2004

Map filed SEP 07 2004

The applicant **Sierra Sunset LLC** hereby makes application for permission to change the **The Point of Diversion and Place of Use of a Portion** of water heretofore appropriated under **Permit 10381, Certificate 3533**

1. The source of water is **McFaul Creek Springs (Induction Well)**
2. The amount of water to be changed **0.0103 cfs or 4.080 AFA**
3. The water to be used for **Irrigation, domestic, and fire protection**
4. The water heretofore permitted for **Irrigation, domestic, and fire protection**
5. The water is to be diverted at the following point **NW¼ NW¼ of Section 15, T13N, R18E, MDM. Or at a point from which the Meander corner of the NW¼ of said Section 15 bears N 77° 00' 10" W., 285.59 feet.**
6. The existing permitted point of diversion is located within **NE¼ NE¼ of Section 11, T13N, R18E, MDM or at a point from which the NE corner of said Section 11 bears N 11° 41' E., 580.00 feet**
7. Proposed place of use **0.58 Ac within the NW¼ NW¼ and 0.43 Ac within the SW¼ NW¼ of Section 15, T13N, R18E, MDM**
8. Existing place of use **1.005 Ac within the NW¼ NW¼ and 0.005 Ac within the SW¼ NW¼ of Section 15, T13N, R18E.**
9. Use will be from **April 1st to October 1** of each year.

January 1 December 31 for domestic
10. Use was permitted from **April 1st to October 1** of each year.

January 1 December 31 for domestic
11. Description of proposed works **Water diverted from an induction well in Bourne Meadow and Conveyed to distribution works and sprinkler system.**
12. Estimated cost of works **\$10,000**
13. Estimated time required to construct works **2 years**
14. Estimated time required to complete the application of water to beneficial use **5 years**

15. Remarks: Water to be used for irrigation of a new landscaping area within the SW¼ NW¼ Of Section 15. Water is supplemental to V01768, Permit 9014, Certificate 1715; Permit 9093, Certificate 2716; Permit 9094, Certificate 2717; and Permit 10380, Certificate 3532.

By Sierra Sunset LLC
s/ Ronald D. Alling
800 E. College Parkway
Carson City, Nevada 89706

Compared gkl/sc lt/gkl

Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of McFaul Creek Springs, heretofore granted under Permit 10381, Certificate 3533 is issued subject to the terms and conditions imposed in said Permit 10381, Certificate 3533 and with the understanding that no other rights on the source will be affected by the change proposed herein.

A totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of water begins, or before the Proof of Completion of Work is filed.

This permit is subject to the final allocation of the State of Nevada under the California-Nevada-Interstate Compact Commission or any subsequent allocation approved by both states. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The total combined duty of water under Permits 71348, 71349, 71350, 71351, 71352 and 71353 shall not exceed 4.04 acre-feet annually.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0102 cubic feet per second, but not to exceed 4.04 acre-feet annually.

Work must be prosecuted with reasonable diligence and be completed on or before:
September 30, 2007


Proof of completion of work shall be filed on or before:
October 30, 2007

Water must be placed to beneficial use on or before:
September 30, 2010

Proof of the application of water to beneficial use shall be filed on or before:
October 30, 2010

Map in support of proof of beneficial use shall be filed on or before:
October 30, 2010

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,
State Engineer of Nevada, have hereunto set
my hand and the seal of my office,
this 30th day of September A.D. 2005



State Engineer

Completion of work filed _____

Proof of beneficial use filed _____

Cultural map filed _____

Certificate No. _____ Issued _____